

NEW YORK UNIVERSITY  
COURANT INSTITUTE - LIBRARY  
4 Washington Place, New York 3, N. Y.

IMM-NYU 317  
FEBRUARY 1964



NEW YORK UNIVERSITY  
COURANT INSTITUTE OF  
MATHEMATICAL SCIENCES

# An Approximation Theorem

LIPMAN BERS

---

PREPARED UNDER  
CONTRACT NO. NONR-285(46)  
WITH THE  
OFFICE OF NAVAL RESEARCH

IMM-NYU-317



New York University  
Courant Institute of Mathematical Sciences

AN APPROXIMATION THEOREM

Lipman Bers

This report represents results obtained at the Courant  
Institute of Mathematical Sciences, New York University,  
under the sponsorship of the Office of Naval Research,  
Contract No. Nonr-285(46).  
Reproduction in whole or in part is permitted for any  
purpose of the United States Government.



# AN APPROXIMATION THEOREM\*

Lipman Bers

The simple approximation theorem stated below, an incidental by product of an investigation with a different aim, seems not to be recorded in the literature. The proof uses a device due to Ahlfors.

Definition. Let  $D$  be a domain in the complex plane,  $\dot{D}$  its boundary and  $I \subset \dot{D}$  a closed set. We call  $\Lambda$  ample if (i) it contains every point of  $\dot{D}$  which is not a boundary point of the complement  $G$  of  $D \cup \dot{D}$ , and (ii) in every component of  $G$ , the part of  $I$  contained in its boundary has positive harmonic measure.

Examples. Let  $D$  be the complement of a nowhere dense set  $\Lambda$ ; then  $\Lambda$  is ample. Let  $D$  be bounded by  $k$  closed Jordan curves  $C_j$  and let  $\lambda_j$  be a subarc of  $C_j$ ; then  $\Lambda = \lambda_1 \cup \dots \cup \lambda_k$  is ample. If  $C_j$  is rectifiable, it suffices to assume that  $\lambda_j \subset C_j$  has positive linear measure.

Theorem. Let  $\Lambda$  be a set on the boundary of a plane domain  $D$  and assume that the closure of  $\Lambda$  is ample. Let  $f(z)$  be analytic in  $D$  and such that

$$(1) \quad \iint_D |f(z)|^2 \, dx \, dy < +\infty.$$

\* This paper represents results obtained at the Courant Institute of Mathematical Sciences, New York University, under the sponsorship of the Office of Naval Research, Contract No. Nonr-233(0). Reproduction in whole or in part is permitted for any purpose of the United States Government.



Then there exists a sequence of rational functions  $r_j(z)$ , with simple poles in  $\Lambda$  and no other singularities, such that

$$(2) \quad \lim_{j \rightarrow \infty} \iint_D |f(z) - r_j(z)| \, dx \, dy = 0.$$

Proof. We assume  $\Lambda$  to be infinite; otherwise the statement is trivial. Let  $\alpha$  denote the set of rational functions with simple poles in  $\Lambda$ , which are absolutely integrable over  $D$ . Analytic functions satisfying (1) form a Banach space. Let  $\ell$  be a continuous linear functional on this space. It suffices to show that if  $\ell(\phi) = 0$  for all  $\phi$  in  $\alpha$ , then  $\ell \equiv 0$ .

Every  $\ell$  is of the form

$$(3) \quad \ell(f) = \iint_D f(z) \mu(z) \, dx \, dy$$

where  $\mu$  is a bounded measurable function. Let  $a_1$  and  $a_2$  be two points in  $\Lambda$  and set

$$(4) \quad h(z) = - \frac{(z - a_1)(z - a_2)}{\pi} \iint_D \frac{\mu(\xi) d\xi d\eta}{(\xi - z)(\xi - a_1)(\xi - a_2)}$$

Then  $h(z)$  is continuous everywhere,  $h(a_1) = h(a_2) = 0$ ,  $h$  has generalized derivatives which are locally square integrable,

$$(5) \quad \partial h / \partial \bar{z} = \mu \text{ in } D$$

and  $h(z)$  is analytic in the complement  $G$  of the closure of  $D$ . Also,





$$(6) \quad h(z) = O(|z| \log |z|), \quad z \rightarrow \infty,$$

and, for every  $R > 0$ ,

$$(7) \quad |h(z') - h(z'')| \leq C(R) |z' - z''| |\log |z' - z''|| \quad \text{for } |z'|, |z''| \leq R.$$

All this is verified by standard arguments.

Assume that  $\mathcal{L}(\phi) = 0$  for all  $\phi$  in  $\alpha$ . For every  $a \in \Lambda$ ,  $a \neq a_1, a_2$ , the function  $\phi(\xi) = (\xi - a)^{-1}(\xi - a_1)^{-1}(\xi - a_2)^{-1}$  belongs to  $\alpha$ . For this  $\phi$ ,  $-\pi h(a) = (a - a_1)(a - a_2)\mathcal{L}(\phi)$ . Thus  $h = 0$  on the closure of  $\Lambda$ . Using condition (ii) of ampleness we conclude that  $h \equiv 0$  in  $G$ , and hence

$$(3) \quad h = 0 \text{ on } \dot{D}$$

Let  $\delta(z)$  denote the distance from  $z$  to  $\dot{D}$ ; by (6) and (3)

$$(9) \quad |h(z)| \leq C(R) \delta(z) |\log \delta(z)| \quad \text{for } |z| \leq R.$$

Now let  $j(t)$ ,  $-\infty$  be an infinitely differentiable function such that  $0 < j(t) < 1$ ,  $j(t) = 0$  for  $t \leq 1$ ,  $j(t) = 1$  for  $t > 1$  and set, for  $n = 1, 2, \dots$ , and for  $z$  in  $D$ ,

$$\omega_n(z) = j\left(-n/\log\log \frac{1}{\delta(z)}\right)$$

(this device is due to Ahlfors). Since  $\delta(z)$  is Lipschitz continuous with constant 1, and  $j'(t) = 0$  outside the interval  $1 < t < 2$ , one verifies that

$$(10) \quad \left| \frac{\partial \omega_n(z)}{\partial z} \right| \leq \frac{c}{n} \frac{1}{\delta(z) |\log \delta(z)|}.$$



For every  $R > 0$ , let  $D(R)$  and  $\Gamma(R)$  denote the intersection of  $D$  with the disc  $|z| < R$  and the circle  $|z| = R$ , respectively. By (5) and Stokes' theorem

$$\begin{aligned} \iint_{D(R)} \omega_n(z) f(z) \mu(z) \, dx \, dy &= \iint_{D(R)} \omega_n(z) \frac{\partial}{\partial \bar{z}} (h(z) f(z)) \, dx \, dy \\ &= -\frac{i}{2} \int_{\Gamma(R)} \omega_n(z) h(z) f(z) \, dz - \iint_{D(R)} f(z) h(z) \frac{\partial \omega_n(z)}{\partial \bar{z}} \, dx \, dy \end{aligned}$$

for every  $f(z)$  analytic in  $D$ , since  $\omega_n \equiv 0$  near  $\bar{D}$ . Assume now that (1) holds. By (9) and (10) the last integral goes to 0 for  $n \rightarrow \infty$ , and, since  $\omega_n \rightarrow 1$ , we conclude that

$$\left| \iint_{D(R)} f(z) \mu(z) \, dx \, dy \right| \leq \left| \frac{1}{2} \int_{\Gamma(R)} f(z) h(z) \, dz \right|.$$

Here the right hand side vanishes for large  $R$  if  $D$  is bounded, but is in all cases less than

$$(11) \quad \text{const. } R \log R \int_{\Gamma(R)} |f(z)| |dz| \quad (R > 1)$$

in view of (7). Since

$$\int_0^{+\infty} \left\{ \int_{\Gamma(R)} |f(z)| |dz| \right\} dR < +\infty$$

by (1), the quantity (11) can not remain above a positive number as  $R \rightarrow \infty$ . We conclude from (3) that  $\mathcal{L}(f) = 0$ , q.e. d.

the first of these is the fact that the  
the second is the fact that the  
the third is the fact that the

the fourth is the fact that the

the fifth is the fact that the

the sixth is the fact that the

the seventh is the fact that the

the eighth is the fact that the


the ninth is the fact that the

the tenth is the fact that the

the eleventh is the fact that the

## OFFICIAL DISTRIBUTION LIST

Chief of Naval Research Navy Department Washington 25, D.C. Attn: Code 432 Code 438	5 3	Chief, Bureau of Ships Navy Department Washington 25, D.C. Attn: Library Code 280	2 1
Director Naval Research Laboratory Washington 25, D.C. Attn: Library Code 6230 Tech. Information Officer	2 2 6	Chief, Bureau of Ordnance Navy Department Washington 25, D.C. Attn: Tech. Library  Director David Taylor Model Basin Washington 25, D.C. Attn: Library Dr. H. Polachek	   1 1
Commanding Officer Office of Naval Research Branch Office 207 East 24th Street New York 11, New York		U.S. Naval Electronics Laboratory San Diego 52, California Attn: Library Dr. F. A. Sabransky	  1 1
Commanding Officer Office of Naval Research Branch Office 1030 East Green Street Pasadena 1, California Attn: Tech. Library		U.S. Naval Weapons Plant Washington 25, D.C. Attn: Library	
Commanding Officer Office of Naval Research Branch Office 495 Summer Street Boston 10, Massachusetts		U.S. Navy Underwater Sound Lab. Fort Trumbull New London, Connecticut	
Commanding Officer Office of Naval Research Branch Office 1000 Geary Street San Francisco, California		Naval Ordnance Laboratory White Oak Silver Spring, Maryland Attn: Mechanics Division Library	   1 1
Commanding Officer Office of Naval Research Branch Office Navy No. 100, Fleet Post Office New York, New York	40	U.S. Naval Hydrographic Office Suitland, Maryland	2
		Beach Erosion Board U.S. Corps of Engineers Little Falls Road, N.Y. Washington 16, D.C.  Superintendent U.S. Naval Postgraduate School Monterey, California	



Commander  
U.S. Naval Weapons Laboratory  
Dahlgren, Virginia  
Attn: Library

Commanding General  
Aberdeen Proving Ground  
Aberdeen, Maryland  
Attn: Library

Commanding General  
Wright-Patterson Air Force Base,  
Ohio  
Attn: Central Air Documents (D13) 1  
Aeronautical Research Lab. 1

Chief  
Armed Forces Special Weapons  
Project  
Washington 25, D.C.

Armed Services Technical  
Information Agency  
Arlington Hall Station  
Arlington 12, Virginia 10

U. S. Department of Commerce  
Washington 25, D.C.  
Attn: National Hydraulics Lab.

The Computing Laboratory  
National Applied Mathematics Lab.  
National Bureau of Standards  
Washington 25, D.C.

California Institute of Technology  
Hydrodynamics Laboratory  
Pasadena, California

University of California  
Department of Engineering  
Berkeley 4, California  
Attn: Dr. J.W. Johnson 1  
Dr. S. Schaaf 1

Carnegie Institute of Technology  
Department of Mathematics  
Pittsburgh, Pennsylvania

Chesapeake Bay Institute  
The John Hopkins University  
121 Maryland Hall  
Baltimore 18, Maryland  
Attn: Director,  
Dr. D. W. Pritchard

University of Chicago  
Department of Meteorology  
Chicago, Illinois  
Attn: Dr. C.G. Rossby

Columbia University  
New York 27, New York  
Attn: Prof. M.G. Salvadori

Harvard University  
Department of Mathematics  
Cambridge, Massachusetts  
Attn: Prof. G. Birkhoff

Indiana University  
Department of Mathematics  
Bloomington, Indiana  
Attn: Prof. T.Y. Thomas

State University of Iowa  
Iowa Institute of Hydraulic  
Research  
Iowa City, Iowa  
Attn: Prof. L. Landweber

Massachusetts Institute of  
Technology  
Cambridge 38, Massachusetts  
Attn: Dr. E. Reissner 1  
Dr. C. C. Lin 1

New York University  
Department of Meteorology  
New York, New York  
Attn: Dr. W. J. Pierson, Jr.





Princeton University  
Department of Mathematics  
Princeton, N. Jersey  
Attn: Prof. S. Lefschetz

Rand Corporation  
1700 Main Street  
Santa Monica, California

Scripps Institute of Oceanography  
La Jolla, California  
Attn: Dr. W. Munk 1  
Dr. R.S. Arthur 1

University of Washington  
Oceanographic Department  
Seattle 5, Washington  
Attn: Dr. Maurice Hattis, Jr. 1

Woods Hole Oceanographic Institute  
Woods Hole, Massachusetts  
Attn: Dr. C. Iselin

Marine Biological Laboratory  
Woods Hole, Massachusetts  
Attn: Library

Dr. Milton Rose  
Radiation Laboratory  
Livermore, California

Dr. Arthur Grad  
National Science Foundation  
Washington 25, D.C.

Serials Work Room  
Main Library, 206  
New York University  
New York, New York

Dr. C. R. DePrima  
California Institute of Technology  
1201 East California Street  
Pasadena, California

Office of Technical Services  
Department of Commerce  
Washington 25, D. C.

Department of Mathematics  
Stanford University  
Stanford, California

Department of Mathematics  
Harvard University  
Cambridge, Massachusetts

Department of Mathematics  
Massachusetts Institute of Technology  
Cambridge, Massachusetts

Professor B. Friedman  
Department of Mathematics  
University of California  
Berkeley, California

Director (Code 120)  
USN Underwater Sound Reference  
Lab.  
P.O. Box 8337  
Orlando, Florida

Professor A. Erdelyi  
Department of Mathematics  
California Institute of Technology  
Pasadena, California

Professor J. Todd  
Department of Mathematics  
California Institute of Technology  
Pasadena, California

Professor C. H. Wilcox  
Department of Mathematics  
University of Wisconsin  
Madison, Wisconsin

Professor B. Zumino  
Department of Physics  
New York University  
New York, New York

Department of Mathematics  
University of California  
Berkeley, California



Professor H. C. Kranzer  
Department of Mathematics  
Adelphi College  
Garden City, New York

Dr. F. J. Weyl  
Research Director, Code 402  
Office of Naval Research  
Washington 25, D. C.

MAR 12 1964

## DATE DUE

APR 13 1962			
GAYLORD			PRINTED IN U.S.A.

NYU  
100-  
317

c.1

Bers

An approximation theorem.

NYU  
100-  
1717  
317

c.1

Bers

An approximation theorem

An

APR 18 1965

RAY S

**N.Y.U. Courant Institute of  
Mathematical Sciences**  
4 Washington Place  
New York 3, N. Y.

